

## Thumb Coast CBD

201 Riverside Ave  
St. Clair, MI 48079  
j.borja@thumbcoastcbd.com  
(810) 328-4543  
Lic. #

Sample: 2208PUER0767.3789

Strain: None  
Batch#: ; Batch Size: g  
Sample Received: 08/19/2022; Report Created: 08/24/2022; Expires: 08/24/2023  
Sampling: ; Environment:

## Natural 50 mg/ml

Ingestible, Tincture  
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



### Safety

Not Tested Pesticides	Not Tested Microbials	Not Tested Mycotoxins
Not Tested Solvents	Not Tested Metals	Not Tested Foreign Matter

### Cannabinoids

<b>1.42 mg/serving</b> Total THC	<b>NT</b> Total Terpenes	<b>41.78 mg/serving</b> Total CBD	<b>NT</b> Not Tested Water Activity
-------------------------------------	-----------------------------	--------------------------------------	---

Analyte	LOD mg/serving	LOQ mg/serving	Mass mg/serving	Mass mg/container
THCa	0.20	0.70	ND	ND
Δ9-THC	0.30	1.00	1.42	21.26
Δ8-THC	0.30	0.90	ND	ND
THCV	0.20	0.90	ND	ND
CBDa	0.20	0.70	ND	ND
CBD	0.30	0.80	41.78	626.64
CBDV	0.30	0.90	<LOQ	<LOQ
CBN	0.20	0.70	ND	ND
CBGa	0.20	0.70	ND	ND
CBG	0.30	0.80	<LOQ	<LOQ
CBC	0.20	0.70	ND	ND
<b>Total</b>			<b>43.19</b>	<b>647.90</b>

1 Serving = 1 mL, 1.00g; 15 servings per container; 21.3 mg THC per container  
 Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC  
 Total CBD = CBDa \* 0.877 + CBD  
 Instrument: Shimadzu HPLC-PDA ; Method: Internal (CHEM-001)  
 Water Activity/Moisture: Instrument: Aqualab 3

24545 Forterra Dr.  
Warren, MI  
(586) 500-7837  
http://www.puerlab.com  
Lic# AU-SC-000121

Douglas Duncan  
Laboratory Manager

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



ND=Not Detected, NR=Not Reported, NT=Not Tested LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by PuEr Lab, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested and batched under the batch number identified above. PuEr makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of PuEr Lab.